

PROPOSAL FOR EXPERIMENT AT RCNP

20 January 2005

TITLE:**Elastic proton scattering to deduce neutron density distributions in oxygen isotopes****SPOKESPERSON:**

Full Name Satoru TERASHIMA
 Institution Department of Physics, Kyoto University
 Title or Position Graduate Student
 Address Kyoto, 606-8502, Japan
 Phone number +81-75-753-3866
 FAX number +81-75-753-3795
 E-mail tera@nh.scphys,kyoto-u.ac.jp

EXPERIMENTAL GROUP:

H. Sakaguchi	Department of Physics, Kyoto University	(AP)
T. Murakami	Department of Physics, Kyoto University	(A)
M. Yosoi	Department of Physics, Kyoto University	(A)
Y. Yasuda	Department of Physics, Kyoto University	(D3)
J. Zenihiro	Department of Physics, Kyoto University	(M2)
Y. Nakatsugawa	Department of Physics, Kyoto University	(M2)
Y. Iwao	Department of Physics, Kyoto University	(M1)
T. Emori	Department of Physics, Kyoto University	(M1)
M. Itoh	RCNP, Osaka University	(PD)
H.P. Yoshida	Department of Physics, Kyushu University	(A)
T. Suda	RIKEN	(Vice Chief Scientist)
T. Ichihara	RIKEN	(Vice Chief Scientist)
Y. Watanabe	RIKEN	(Scientist)
T. Ohnishi	RIKEN	(Postdoctoral Fellow)
H. Takeda	RIKEN	(Postdoctoral Fellow)

RUNNING TIME: Data runs 4 days**BEAM LINE:** Ring : WS course

BEAM REQUIREMENTS:

Type of particle	protons
Beam energy	300 MeV
Beam intensity	500 nA
Beam resolution	100keV
stable,small emittance	

BUDGET: Experimental expenses 600,000 yen

Travel expenses for people from RIKEN ,Kyoto University and Kyushu University should be supported by RCNP.

TITLE:

Elastic proton scattering to deduce neutron density distributions in oxygen isotopes

SPOKESPERSON: Satoru TERASHIMA

SUMMARY OF THE PROPOSAL

We are proposing to measure elastic scattering off $^{16,18}\text{O}$ to tune NN interaction, to deduce neutron density distribution. by tuning NN interaction not only medium-heavy nuclei ($A \geq 40$) but also light nuclei. The research of nuclear density distributions of more nuclei would be enable. We are going to deduce neutron density distribution of ^{18}O as application. By comparing ^{16}O with ^{18}O , we think we can see thin neutron skin thickness.

Recently progress in the production of short lived nuclei and the development of radioactive nuclear beams has given this field the necessary tools. Many interested experimental results around light nuclei are reported, the research about light nuclei including unstable nuclei in term of nuclear density distributions is important.