

The person in charge of Safty & Hygiene in 2015

General inquiries and questions about safety and proper use can be directed to Shinji ANO.(Ext. 8911, ano@)

Work Type	Person-in -Charge	Phone and E-mail *
Radiation Work	Tomokazu SUZUKI (Radiation &X line Measurement)	Ext. 8832 tomokazu@
	Tatsushi SHIMA	Ext. 8917 shima@
	Tetsuhiko YORITA	Ext. 8914 yorita@
Chemicals	Shinji ANO (General)	Ext. 8911 ano@
	Yusuke YASUDA (Accelerator)	Ext. 8913 yasuda@
	Hidetomo YOSHIDA (Experiment)	Ext. 8912 hidetomo@
Gases	Tetsuhiko YORITA	Ext. 8914 yorita@
	Shinji ANO (Person in charge for High-pressure gas)	Ext. 8911 ano@
	Hidetomo YOSHIDA (Experiment)	Ext. 8912 hidetomo@
High-pressure Gases	Atsushi TAMII	Ext. 8855 tamii@
Electricity	Mitsuhiro FUKUDA (General)	Ext. 8931 mhfukuda@
	Yusuke YASUDA (Accelerator)	Ext. 8913 yuusuke@
	Tomokazu SUZUKI (Experiment)	Ext. 8832 tomokazu@
Cranes	Mitsuhiro FUKUDA	Ext. 8931 mhfukuda@

	Shinji ANO	Ext. 8911 ano@
Forklift	Eiji IDEGUCHI	Ext. 8853 ideguchi@
	Shinji ANO	Ext. 8911 ano@
Machine Tools and Workshop	Keiji TAKAHISA	Ext. 8917 takahisa@
	Mitsuru KIBAYASHI	Ext. 8913 kibayasi@
Welding	Mitsuru KIBAYASHI	Ext. 8913 kibayasi@
Lasers	Tomoaki HOTTA	Ext. 8925 hotta@
Shortage of Oxygen	Eiji IDEGUCHI	Ext. 8853 ideguchi@
	Hidetomo YOSHIDA	Ext. 8912 hidetomo@
Waste and Management	Keiji TAKAHISA	Ext. 8817 takahisa@
Poison & Drastic Medicine	Mitsuhiro FUKUDA (General)	Ext. 8931 mhfukuda@
	Hidetomo YOSHIDA (Experiment)	Ext. 8911 hidetomo@
	Yusuke YASUDA (Accelerator)	Ext. 8913 yuusuke@

*Supply «rcnp.osaka-u.ac.jp»after «@».