

# CONTENTS

## In remembrance of Prof. Hiroyuki Okamura

1. Looking back: The ( $d,^2\text{He}$ ) reaction  
*D. Frekers*
2. Condolence of Professor Hiroyuki Okamura  
*Hideyuki Sakai*
3. Prof. Hiroyuki Okamura  
– what he told me he was proud of as a scientist –  
*Kimiko Sekiguchi*
4. Prof. Hiroyuki Okamura at Sendai  
*T. Shinozuka*
5. Memories of Prof. H. Okamura  
*Atsushi Tamii*

## Topics

1. The high resolution ( $^3\text{He}, t$ ) reaction on several double  $\beta$  decay nuclei  
*T. Adachi, H. Dohmann, M. Dozono, H. Ejiri, D. Frekers, H. Fujita, Y. Fujita, M. Fujiwara, E.-W. Grewe, K. Hatanaka, P. Heinrichs, N. T. Khai, H. Mazubara, A. Lennarz, H. Okamura, Y. Y. Oo, P. Puppe, T. Ruhe, Y. Sakemi, A. Tamii, J. H. Thies, T. Wakasa, H. P. Yoshida, M. Yosoi, R. G. T. Zegers*
2. Isotopic Dependence of Giant Monopole Resonance in the even  $A$ ,  $^{106-116}\text{Cd}$  isotopes and the asymmetry term in nuclear incompressibility  
*D. Patel, U. Garg, M. Fujiwara, H. Akimune, G.P.A. Berg, M.N. Harakeh, M. Itoh, M. Ichikawa, T. Kawabata, K. Kawase, R. Matsuo, B.K. Nayak, S. Okumura, T. Terazono, M. Uchida, H.P. Yoshida and M. Yosoi*
3. Differential cross sections and photon beam asymmetry for the  $\bar{\gamma}p \rightarrow K^+\Lambda(1520)$  reaction at forward  $K^+$  angles  
*H. Kohri, D.S. Ahn, J.K. Ahn, H. Akimune, W.C. Chang, S. Dat'e, H. Ejiri, H. Fujimura, M. Fujiwara, K. Hicks, A. Hosaka, T. Hotta, K. Imai, T. Ishikawa, T. Iwata, K. Kino, T. Matsumura, T. Mibe, M. Miyabe, N. Muramatsu, T. Nakano, S.i. Nam, M. Niiyama, M. Nomachi, Y. Ohashi, A. Sakaguchi, H. Shimizu, Y. Sugaya, M. Sumihama, T. Yorita, M. Yosoi, and R.G.T. Zegers*
4. Gamma-ray Spectroscopy Enabled by Effective Combination of RCNP Fragment Separator and Ge-Detector Array  
*A. Odahara, T. Shimoda, A. Takashima, T. Hori, T. Fukuchi, T. Masue, K. Tajiri, K. Kura, M. Suga, M. Kazato, Y. Ito, Y. Kenmoku, K. Yamaguchi, J. Takatsu, K. Kurata, T. Suzuki, H. Watanabe, S. Nishimura, Y. Gono, T. Furukawa, E. Ideguchi, S. Go, Y. Wakabayashi, C. Petrache*

# I EXPERIMENTAL NUCLEAR PHYSICS

## Nuclear Reactions and Structure

1. The high resolution ( $^3\text{He}, t$ ) reaction on the nuclei  $^{71}\text{Ga}$  and  $^{69}\text{Ga}$   
*T. Adachi, H. Akimune, H. Ejiri, D. Frekers, H. Fujita, Y. Fujita, M. Fujiwara, E. Ganioglu, E.-W. Grewe, C.J. Guess, K. Hatanaka, R. Hodak, C. Iwamoto, N.T. Khai, A. Lennarz, A. Okamoto, H. Okamura, P. Povinec, P. Puppe, F. Simkovic, G. Susoy, T. Suzuki, A. Tamii, J.H. Thies, M. Yosoi, R.G.T. Zeger*
2. The high resolution ( $^3\text{He}, t$ ) reaction on the  $\beta\beta$ -decaying nuclei  $^{130}\text{Te}$  and  $^{128}\text{Te}$   
*T. Adachi, H. Akimune, H. Ejiri, D. Frekers, H. Fujita, Y. Fujita, M. Fujiwara, E. Ganioglu, E.-W. Grewe, C.J. Guess, K. Hatanaka, R. Hodak, C. Iwamoto, N.T. Khai, A. Lennarz, A. Okamoto, H. Okamura, P. Povinec, P. Puppe, F. Simkovic, G. Susoy, T. Suzuki, A. Tamii, J.H. Thies, M. Yosoi, R.G.T. Zegers*
3.  $T_z = \Sigma \pm 2 \rightarrow \pm 1$  Gamow-Teller Transitions in  $A = 52$ ,  $pf$ -shell Nuclei  
*Y. Fujita, T. Adachi, B. Blank, P. von Brentano, G.P.A. Berg, H. Fujita, K. Fujitai, K. Hatanaka, K. Nakanishi, A. Negret, L. Popescu, B. Rubio, Y. Shimbara, Y. Shimizu, Y. Tameshige, A. Tami, M. Yosoi, K.O. Zell,*
4. Study of isospin mixing in the  $0^+$  excitations via high-resolution  $^{56}\text{Fe}(^3\text{He}, t)$  reaction  
*H. Fujita, H. Akimune, G.P.A. Berg, T. Adachi, N.T. Botha, K. Fujita, Y. Fujita, K. Hara, K. Hatanaka, J. Kamiya, T. Kawabata, K. Nakanishi, R. Neveling, A. Okamoto, J. Rapaport, N. Sakamoto, Y. Sakemi, T. Shima, Y. Shimbara, Y. Shimizu, F.D. Smit, T. Suzuki, A. Tamii, M. Uchida, T. Wakasa, M. Yoshifuku, M. Yosoi, and R.G.T. Zegers*
5. The high resolution ( $^3\text{He}, t$ ) reaction on  $^{118}\text{Sn}$  and  $^{120}\text{Sn}$   
*Y. Fujita, H. Fujita, T. Adachi, N.T. Khai, H. Dohmann, M. Dozono, D. Frekers, E.-W. Grewe, K. Hatanaka, D. Ishikawa, H. Matsubara, H. Okamura, Y.Y. Oo, T. Ruhe, K. Suda, A. Tamii, T.D. Thiep, J.H. Thies, H.P. Yoshida*
6. Measurement of  $^2\text{H}(p, pp)n$  cross sections at 250 MeV for studying three nucleon forces  
*S. Kuroita, K. Sagara, Y. Eguchi, K. Yashima, T. Yabe, T. Shishido, M. Dozono, Y. Yamada, T. Wakasa, T. Noro, H. Matsubara, J. Zenihiro, A. Tamii, H. Okamura, K. Hatanaka, T. Saito, Y. Maeda, H. Kamada, and Y. Tameshige*
7. High-resolution study of  $^{56}\text{Fe} \rightarrow ^{56}\text{Mn}$  Gamow-Teller transition using the  $^{56}\text{Fe}(^3\text{He}, t)^{56}\text{Co}$  and  $^{56}\text{Fe}(p, p')^{56}\text{Fe}$  reactions  
*M. Nagashima, Y. Shimbara, H. Fujita, Y. Fujita, T. Adachi, N.T. Botha, E. Ganioglu, K. Hatanaka, K. Hirota, N.T. Khai, H. Matsubara, K. Nakanishi, R. Neveling, H. Okamura, H.J. Ong, Y. Sakemi, Y. Shimizu, G. Susoy, T. Suzuki, A. Tamii, J. Thies and M. Yosoi*

8. Measurements of Charge Changing Cross Sections of Be isotopes  
*T. Naito, K. Hirota, M. Taniguchi, K. Yokoyama, H. J. Ong, I. Tanihata, M. Fukuda, K. Matsuta, M. Mihara, D. Nishimura, H. Sakaguchi, A. Tamii, T. Suzuki, T. Kawabata, A. Ozawa, H. Suzuki, D. Nagae, M. Takechi, T. Yamaguchi, S. Momota [RCNP-E333 Collaboration]*
9. Analyzing powers for  $1s_{1/2}$ -knockout ( $p, 2p$ ) and ( $p, pn$ ) reactions  
*T. Noro, Y. Yamada, M. Dozono, Y. Eguchi, N. Fujita, K. Hatanaka, T. Imamura, D. Ishikawa, M. Itoh, S. Kuroita, Y. Maeda, Y. Matsuda, H. Matsubara, A. Nonaka, M. Okamoto, H. Okamura, K. Sagara, T. Saito, H. Sakaguchi, Y. Sakemi, A. Tamii, T. Wakasa, T. Yabe, K. Yashima, Y. Yasuda, H. P. Yoshida and J. Zenihiro*
10. Search for effect of tensor interaction via ( $p, d$ ) reaction  
*H. J. Ong, I. Tanihata, A. Tamii, M. Fukuda, K. Hirota, K. Ikeda, D. Ishikawa, T. Kawabata, H. Matsubara, K. Matsuta, M. Mihara, T. Myo, T. Naito, D. Nishimura, Y. Ogawa, A. Ozawa, H. Okamura, H. Sakaguchi, K. Sekiguchi, T. Suzuki, H. Toki, Y. Yasuda, M. Yosoi, J. Zenihiro [RCNP-E314 Collaboration]*
11. Gamow-Teller transitions starting from  $T_z = +3 = 2$  nuclei  $^{45}\text{Sc}$  and  $^{47}\text{Ti}$   
*G. Susoy, E. Ganioglu, H. Fujita, T. Adachi, Y. Fujita, A. Algora, M. Csatos, J. Deaven, E. Estevez, C. Guess, J. Gulyas, K. Hatanaka, K. Hirota, D. Ishikawa, A. Krasznahorkay, H. Matsubara, R. Meharchand, F. Molina, H. Okamura, H.J. Ong, G. Perdikakis, B. Rubio, C. Scholl, T. Suzuki, A. Tamii, J. Thies, R.G.T. Zegers, J. Zenihiro*
12. New Band Structure and the High-spin Yrast States in  $^{76}\text{Se}$   
*T. Suzuki, T. Koike, T. Fukuchi, T. Shinozuka, K. Shirotori, H. Tamura and M. Urai*
13. Search for High-Spin Isomer in  $^{142}\text{Pr}$  by RI Beam Induced Fusion Reaction  
*A. Takashima, M. Suga, K. Tajiri, K. Kurata, J. Takatsu, Y. Ito, Y. Kenmoku, K. Yamaguchi, M. Kazato, K. Kura, A. Odahara, T. Shimoda, T. Suzuki, H. Watanabe, S. Nishimura, Y. Gono, E. Ideguchi, S. Go, Y. Wakabayashi, C. Petrache*
14. Measurements of Charge-Changing Cross Sections of Carbon Isotopes  
*M. Taniguchi, T. Naito, K. Hirota, H. J. Ong, K. Yokoyama, I. Tanihata, M. Fukuda, K. Matsuta, M. Mihara, D. Nishimura, H. Sakaguchi, A. Tamii, T. Suzuki, T. Kawabata, A. Ozawa, H. Suzuki, D. Nagae, M. Takechi, T. Yamaguchi, S. Momota, [RCNP-E333 Collaboration]*
15. Complete spin observables and spin-dipole strengths for  $^{16}\text{C}(p, n)$  at 296 MeV  
*T. Wakasa, M. Okamoto, M. Takaki, and M. Dozono*
16. Spin-dipole strengths and tensor correlation effects for  $^{208}\text{Pb}(p, n)$  at 295 MeV  
*T. Wakasa for the RCNP-E57 and E59 collaborations*
17. Study on nuclear fusion reactions of oxygen-16 on targets of deformed nuclei  
*A. Yokoyama, M. Arai, A. Asano, H. Kaiya, H. Kikunaga, N. Kinoshita, K. Ooe, N. Takahashi, and T. Saito*

## Quark-Lepton Nuclear Physics

1. Spectroscopic study of  $\Lambda(1405)$  via the  $(K^-, n)$  reaction on deuteron  
*S. Enomoto, K. Inoue, and H. Noumi for the J-PARC E31 collaboration*
2. Differential cross sections for the  $\gamma p \rightarrow K^+\Lambda(1520)$  reaction at forward  $K^+$  angles  
*H. Kohri, D.S. Ahn, J.K. Ahn, H. Akimune, W.C. Chang, S. Date, H. Ejiri, H. Fujimura, M. Fujiwara, K. Hicks, A. Hosaka, T. Hotta, K. Imai, T. Ishikawa, T. Iwata, K. Kino, T. Matsumura, T. Mibe, M. Miyabe, N. Muramatsu, T. Nakano, S.i. Nam, M. Niiyama, M. Nomachi, Y. Ohashi, A. Sakaguchi, H. Shimizu, Y. Sugaya, M. Sumihama, T. Yorita, M. Yosoi, and R.G.T. Zegers*
3. Photon beam asymmetry for the  $\gamma p \rightarrow K^+\Lambda(1520)$  reaction at forward  $K^+$  angles  
*H. Kohri, D.S. Ahn, J.K. Ahn, H. Akimune, W.C. Chang, S. Date, H. Ejiri, H. Fujimura, M. Fujiwara, K. Hicks, A. Hosaka, T. Hotta, K. Imai, T. Ishikawa, T. Iwata, K. Kino, T. Matsumura, T. Mibe, M. Miyabe, N. Muramatsu, T. Nakano, S.i. Nam, M. Niiyama, M. Nomachi, Y. Ohashi, A. Sakaguchi, H. Shimizu, Y. Sugaya, M. Sumihama, T. Yorita, M. Yosoi, and R.G.T. Zegers*
4. Double Beta Decay Study of  $^{48}\text{Ca}$  by CANDLES at Kamioka  
*I. Ogawa, S. Umehara, N. Nakatani, G. Ito, K. Yasuda, H. Kakubata, M. Miyashita, M. Saka, T. Hayashi, K. Matsuoka, M. Nomachi, R. Hazama, Y. Tamagawa, K. Fushimi, H. Ohsumi, K. Okada and T. Kishimoto*
5. Cooling test of Transfer Cryostat for the development of polarized HD target  
*T. Ohta, K. Ueda, S. Bouchigny, J.P. Didelez, M. Fujiwara, K. Fukuda, T. Hotta, H. Kohri, T. Kunimatsu, C. Morisaki, S. Ono, G. Rouille, M. Tanaka, M. Uraki, M. Utsuro, S.Y. Wang, and M. Yosoi*
6. Development of a Single Crystal Hydrogen-Deuteride (SC-HD) polarized target for near future LEPS experiments at SPring-8: II  
*M. Utsuro, T. Kuwai, T. Ohta, Y. Isikawa, H. Kohri, M. Fujiwara, K. Fukuda, T. Kunimatsu, M. Tanaka, K. Ueda, M. Uraki and M. Yosoi*
7. The MUSIC Project  
*M. Yoshida*

## Nuclear Astrophysics

1. Exploring the  $\alpha p$ -process with high precision  $(p, t)$  reactions  
*S. O'Brien, G.P.A. Berg, M. Couder, D. Patel, K. Sault, J. Gorres, M. Wiescher, T. Adachi, K. Hatanaka, H. Matsubara, H. Okamura, A. Tamii, H.J. Ong, J. Zenihiro, D. Ishikawa, T. Suzuki, H. Fujita, Y. Sakemi, Y. Fujita, T. Kubo, Y. Namiki, Y. Ohkuma, Y. Shimbara, S. Suzuki, R. Watanabe, R. Yamada, M. Dozono and T. Wakasa*

2. Study of  $^{12}\text{C}(\gamma, 2\alpha)^4\text{He}$  with NewSUBARU laser Compton scattered  $\gamma$ -ray beam  
*T. Shima, Y. Nagai, S. Miyamoto, S. Amano, K. Horikawa, T. Mochizuki,  
H. Utsunomiya and H. Akimune*

## Applications

1. Study on the reversed phase chromatography with TIOA or TTA extractant for chemistry of element 104, rutherfordium (Rf)  
*M. Araki, T. Nanri, Y. Takeda, M. Nishio, M. Nishikawa, Y. Kasamatsu,  
N. Takahashi, Y. Ezaki, Y. Kudou, H. Haba and A. Yokoyama*
2. Irradiation Effect of Spallation Neutrons on SiC Power Diodes  
*H. Asai, K. Sugimoto, I. Nashiyama, Y. Iide, M. Matsuda, Y. Miyazaki,  
K. Takahisa, M. Fukuda, and K. Hatanaka*
3. Neutron-Induced Soft Errors in 65-nm 10T Subthreshold SRAM  
*Masanori Hashimoto, Hiroshi Fuketa, Ryo Harada, Yukio Mitsuyama*
4. The PET imaging of rat's thyroid gland with  $^{124}\text{I}$   
*Y. Kanai, N. Takahashi, T. Watabe, K. Nakai, H. Watabe, A. Shinohara,  
J. Hatazawa*
5. Practical application of capillary electrophoresis to separate short-lived lanthanides  
*H. Kikunaga, T. Yoshimura, K. Ooe, N. Takahashi, N. Takahashi, H. Haba,  
Y. Ezaki, T. Mitsugashira, and A. Shinohara*
6. Measurement of the half-life of  $^{48}\text{Cr}$   
*H. Kikunaga, N. Takahashi and A. Shinohara*
7. Evaluation of LSI Reliabilities by High-energy White Neutron Beams  
*K. Kobayashi, J. Furuta, C. Hamanaka, Y. Morinaga and H. Onodera*
8. Observation of Ramsey Resonance on UCN  
*K. Matsuta, Y. Masuda, R. Matsumiya, K. Hatanaka, Y. Watanabe, S.C. Jeong,  
D. Nishimura, M. Mihara, J. Martin, C. Davis, L. Lee, D. Ramsey,  
L. Buchmann, D. Harrison, T. Dawson*
9. Production of radioisotopes for PET and gamma CT imaging  
*N. Takahashi, A. Kuriyama, A. Shinohara, K. Nakai, H. Kimura, T. Tanimori,  
J. Hatazawa, Y. Kanai, K. Hatanaka*
10. Solvent extraction of trivalent actinides with di(2-ethylhexyl) phosphoric acid  
*R. Takayama, K. Ooe, H. Fujisawa, Y. Komori, Y. Kikutani, H. Kikunaga,  
T. Yoshimura, N. Takahashi, K. Takahisa, T. Saito, T. Mitsugashira, and  
A. Shinohara*
11. Directory transport of intranasally administered  $^{203}\text{Pb}$  in mice  
*K. Washiyama, H. Koshida, R. Nakamura, N. Takahashi, T. Nanri, M. Araki,  
A. Yokoyama, A. Shinohara, R. Amano*

## II THEORETICAL PHYSICS

### Quark-Hadron Nuclear Physics

1. Fusion Hindrance and Synthesis of SHE  
*Yasuhisa Abe, C. Shen, D. Boilley and B.G. Giraud*
2. Excitation Functions of Production of SHE  
*Yasuhisa Abe, C. Shen, and D. Boilley*
3. How and When Two Colliding Ions Form Mono-Nucleus ?  
*Yasuhisa Abe, C. Shen, D. Boilley and B.G. Giraud*
4. Baryon Fields with  $U_L(3) \times U_R(3)$  Chiral Symmetry: Axial Currents of Nucleons and Hyperons  
*Hua-Xing Chen, V. Dmitrasinovic and Atsushi Hosaka*
5. N-Delta(1232) axial form factors from weak pion production  
*E. Hernandez, J. Nieves, M. Valverde and M. Vicente-Vacas*
6. Tensor optimized shell model for light and intermediate heavy nuclei  
*K. Ikeda<sup>1</sup>, T. Myo, H. Toki and M. Valverde*
7. Thermodynamics of hadron mass in two-color QCD  
*S. Imai and H. Toki*
8. Rho-meson photoproduction based on a gauge-invariant interaction  
*Hiromi Kaneko, Olaf Scholten and Atsushi Hosaka*
9. One-neutron removal strength of  ${}^7\text{He}$  into  ${}^6\text{He}$  using the complex scaling method  
*T. Myo, R. Ando and K. Kato*
10. Five-body resonances of  ${}^8\text{He}$  using the complex scaling method  
*T. Myo, R. Ando and K. Kato*
11. Quartet of spin-3/2 baryons in chiral multiplet  $(1, 1/2) \oplus (1/2, 1)$  with mirror assignment  
*Keitaro Nagata*
12. Relativistic chiral mean field model for finite nucle  
*Y.Ogawa and H.Toki*
13. Regge approach for charged  $K\Lambda$  photoproduction  
*S. Ozaki, H. Nagahiro and A. Hosaka*
14. Multistep coupling effect on  ${}^{16}\text{O}+{}^{16}\text{O}$  inelastic scattering  
*M. Takashina and Y. Sakuragi*
15. Density-Dependent Relations among the Saturation Properties of Hadronic Matter and Applications to Hadron-Quark Hybrid Stars  
*Schun T. Uechi*

## Theoretical Physics with Supercomputer

1. Spin-dependent corrections in the heavy quark potential and the Gromes relation  
*Y. Koma and M. Koma*
2. Wilson fermions with imaginary chemical potential  
*Shinji Motoki, Keitaro Nagata, Yoshiyuki Nakagawa, Atsushi Nakamura*  
*(XQCD-JAPAN Collaboration)*

### III EXPERIMENTAL FACILITIES AND INSTRUMENTS

#### Detectors

1. Development of a proton detector for study of  $\Lambda(1405)$  via the  $(K^-, n)$  reaction on deuteron  
*S. Enomoto, K. Inoue, and H. Noumi*

#### Beams and Ion Sources

1. Analysis of Energy Spectrum of UCN from He-II Spallation UCN Source  
*R. Matsumiya, Y. Masuda, S. Jeong, Y. Watanabe, T. Adachi, K. Hatanaka, K. Matsuta, D. Nishimura, M. Mihara, T. Sakurai, T. Yoshioka, H. Hano, T. Suehiro, Y. Hisamatsu, H. Oide, H. Otono, S. Yamashita, A. Holley, E. Korobkina, G. Palmquist, R. Golub*
2. Observation of Ramsey Resonance on UCN  
*K. Matsuta, Y. Masuda, R. Matsumiya, K. Hatanaka, Y. Watanabe, S. C. Jeong, D. Nishimura, M. Mihara, J. Martin, C. Davis, L. Lee, D. Ramsey, L. Buchmann, D. Harrison, T. Dawson*
3. Startup Project for Nuclear Spin Imaging (NSI)  
*M. Tanaka, T. Kunitatsu, T. Inomata, M. Fujiwara, H. Kohri, T. Ohta, M. Yosoi, K. Fukuda, K. Takamatsu, and M. Utsuro*
4. Development of a Single Crystal Hydrogen-Deuteride (SC-HD) polarized target for near future LEPS experiments at SPring-8: II  
*M. Utsuro, T. Kuwai, T. Ohta, Y. Isikawa, H. Kohri, M. Fujiwara, K. Fukuda, T. Kunitatsu, M. Tanaka, K. Ueda, M. Uraki and M. Yosoi*

#### Radiation Shield

1. Measurements and Monte Carlo calculations of neutron production cross sections at  $180^\circ$  for the 140 MeV proton incident reactions on carbon, iron, and gold  
*Y. Iwamoto, D. Satoh, M. Hagiwara, H. Yashima, Y. Nakane, A. Tamii, H. Iwase, A. Endo, H. Nakashima, Y. Sakamoto, K. Hatanaka and K. Niita*



## IV ACCELERATORS

1. Installation of the 2.45 GHz ECR proton source in the injection beam line  
*M. Fukuda, K. Hatanaka, T. Yorita, T. Saito, H. Tamura and M. Kibayashi*
2. Operation of the RCNP Cyclotron  
*K. Hatanaka, M. Fukuda, T. Yorita, T. Saito, H. Tamura, M. Kibayashi,  
K. Nagayama, S. Morinobu, H. Gotoh, Y. Inata, H. Yana, Y. Ohe, T. Hata,  
K. Sadano, N. Saito, M. Miyamoto, and T. Nakahara*
3. 18 GHz superconducting ECR ion source  
*T. Yorita, K. Hatanaka, M. Fukuda, M. Kibayashi, S. Morinobu, A. Tamii*

## V COMPUTER AND NETWORK

1. Computer and Network system at RCNP  
*T. Hotta and H. Togawa*

## **VI EDUCATION**

- 7. 1 Educations

## **VII PUBLICATIONS**

- 7. 1 Publications
- 7. 2 Conference Proceedings and Presentations
- 7. 3 Academic Thesis
- 7. 4 Others

## **VIII CONFERENCES, WORKSHOPS AND COLLOQUIA**

- 8. 1 International Conferences
- 8. 2 Domestic Workshops
- 8. 3 Colloquia

## **IX PERSONNEL**

- 9. 1 Personnel
- 9. 2 Visiting Scientists
- 9. 3 Organization
- 9. 4 General Steering Committee
- 9. 5 Physics Program Advisory Committee (P-PAC)
- 9. 6 Beam Program Advisory Committee (B-PAC)
- 9. 7 Quark Program Advisory Committee (Q-PAC)