

## Publications of Hiroshi Toki

1. *H. Toki and M. Sano*; Prog. Theor. Phys. 50 (1973) 699–701  
Two–Neutron transfer reactions on nuclei around N=82 closed shell
2. *H. Toki, M. Sano, H. Orihara and Y. Ishizaki*; Lett. al Nuovo Cimento 11 (1974) 293–297  
Energy dependence of (p,t) reaction cross sections
3. *C. Rangacharyulu, H. Toki, Y. Aoki, M. Sano and K. Yagi*; Lett al Nuovo Cimento 14 (1975) 95–100  
Quadrupole pairing and two step effects in even Te(p,t) reactions
4. *Y. Kitazoe, M. Sano and H. Toki*; Lett. al Nuovo Cimento 13 (1975) 139–144  
Pionization effect on the formation of high density nuclear matter in heavy ion collisions
5. *H. Toki and A. Faessler*; Nucl. Phys. A253 (1975) 231–252  
Asymmetric rotor model for decoupled bands in transitional odd mass nuclei
6. *A. Faessler and H. Toki*; Phys. Lett. 59B (1975) 211–214  
Competition between strong and decoupling schemes in  $^{187}\text{Ir}$
7. *H. Toki and A. Faessler*; Z. Physik A276 (1976) 35–43  
Extended VMI model for asymmetric deformed nuclei
8. *K. Wissak, A. Hanser, H. Klewe–Nebenius, J. Buschmann, H. Rebel, H. Faust, H. Toki and A. Faessler*; Z. Physik A277 (1976) 129–139  
Experimental studies of the level scheme of  $^{143}\text{Eu}$  and a generalized decoupling model description
9. *H. Toki and A. Faessler*; Phys. Lett. 63B (1976) 121–124  
Asymmetric rotor model for positive parity states of  $^{71}\text{As}$ ,  $^{73}\text{As}$  and  $^{81}\text{Rb}$
10. *H. Toki, H.L. Yadav and A. Faessler*; Phys. Lett. 66B (1977) 310–314  
Strong and decoupling structure in transitional odd–odd mass nuclei
11. *H. Toki, K. Neergard, P. Vogel and A. Faessler*; Nucl. Phys. A279 (1977) 1–28  
Non–axial deformations and the odd parity states in the even Pt and Hg isotopes
12. *K. Neergard, H. Toki, M. Ploszajczak and A. Faessler*; Nucl. Phys. A287 (1977) 48–76  
Very high spin Strutinsky calculations with a Woods–Saxon potential
13. *H. Toki, H.L. Yadav and A. Faessler*; Phys Lett. 71B (1977) 1–4  
Decoupled and strongly coupled particle system in odd–odd mass nuclei

14. *H.L. Yadav, H. Toki and A. Faessler*; Phys. Rev. Lett. 39 (1977) 1128–1131  
Positive parity states in Pt and Hg isotopes and the Coriolis ant pairing effects in the deformed rotor model
15. *M. Płoszajczak, H. Toki and A. Faessler*; Z. Physik A287 (1978) 103–119  
Rotation of nuclei around a prolate symmetry axis at very high spin states
16. *M. Płoszajczak, H. Toki and A. Faessler*; J. Physics G (Nucl. Phys.) 4 (1978) 743  
Very high spin states in spherical and transitional nuclei
17. *M. Faber, A. Faessler, M. Płoszajczak and H. Toki*; Phys. Lett. 70B (1977) 399–400  
The fission barrier of actinide nuclei at very high angular momentum
18. *H.L. Yadav, H. Toki and A. Faessler*; Phys. Lett. 76B (1978) 144–148  
Gamma band in transitional nuclei
19. *Y. Futami, H. Toki and W. Weise*; Phys. Lett. 77B (1978) 37–40  
Role of effective nucleon mass for pion condensation in nuclear matter
20. *H. Toki, Y. Futami and W. Weise*; Phys. Lett. 78B (1978) 547–551  
Equation of state for pion-condensed neutron matter at finite temperature
21. *H.L. Yadav, H. Toki and A. Faessler*; Z. Physik A287 (1978) 121–122  
Staggering of even and odd spin states in  $^{196}$ ,  $^{198}\text{Ti}$  nuclei
22. *H. Toki, H.L. Yadav and A. Faessler*; Phys. Lett. 81B (1979) 119–123  
Quasi-rotation-aligned bands in the odd-odd Au nuclei
23. *H. Toki, H.L. Yadav and A. Faessler*; Z. Physik A292 (1979) 79–94  
Study of transitional odd-odd mass nuclei
24. *H. Toki and W. Weise*; Phys. Rev. Lett. 42 (1979) 1034–1038  
Pre-critical behavior in “pion-like” nuclear excited states
25. *D. Bogdan, A. Faessler, P. Vertes and H. Toki*; Nucl. Phys. A321 (1979) 438–444  
Beta decay log ft values for transitional odd-mass nuclei
26. *H.L. Yadav, H. Toki, A. Faessler and B. Castel*; Phys. Lett. 89B (1980) 307–312  
Electromagnetic transitions in the Pt nuclei
27. *N.C. Mukhopadhyay, H. Toki and W. Weise*; Phys. Lett. 84B (1979) 35–40  
Spin-isospin polarizability of nuclear matter and renormalization of weak currents
28. *H. Toki and W. Weise*; Z. Physik A292 (1978) 389–395  
Investigation of the pion condensation threshold in finite nuclei

29. *H. Toki and W. Weise*; Z. Physik A295 (1980) 187–195  
The tensor force in heavy nuclei: High momentum collectivity of unnatural parity excitations
30. *H. Toki*; Z. Physik A294 (1980) 173–181  
Short range behavior of the nucleon–nucleon potential within the quark model
31. *H. Toki and W. Weise*; Phys. Lett. 92B (1980) 265–270  
Pionic modes of excitation in nuclei: Inelastic electron and proton scattering to the (1+,T=1;15.1MeV) state in  $^{12}\text{C}$
32. *H. Toki and W. Weise*; Phys. Lett. 97B (1980) 12–16  
On the mass dependent quenching of magnetic transitions in nuclei
33. *H.L. Yadav, B. Castel and H. Toki*; Phys. Rev. C22 (1980) 2644–2649  
E2 interference terms in the Coulomb excitations of the Os and Pt nuclei
34. *G.F. Bertsch, D. Cha and H. Toki*; Phys. Rev. C24 (1981) 533–540  
Systematics of the GT-strength in nuclei
35. *H. Toki, D. Cha and G.F. Bertsch*; Phys. Rev. C24 (1981) 1371–1373  
Giant M1 states in Zr isotopes within the simple shell model
36. *A. Haerting, W. Weise, H. Toki and A. Richter*; Phys. Lett. 104B (1981) 261–264  
Quenching of magnetic transitions and delta(1232) degree of freedom in nuclei: The  $^{48}\text{Ca}$  case
37. *H. Toki and J.R. Comfort*; Phys. Lett. 47 (1981) 1716–1719  
Proximity to the rho-meson condensation threshold in nuclei
38. *B. Castel, H. Toki and P. Blunden*; Phys. Rev. C25 (1981) 2148–2150  
Role of isobar-hole excitations in the quenching of the  $^{40}\text{K}$  (b)  $^{40}\text{Ca}$  transition
39. *E. Oset, H. Toki and W. Weise*; Phys. Report 83 (1982) 281–380  
Pionic modes of excitation in nuclei
40. *H. Toki*; Phys. Rev. C26 (1982) 1256–1266  
Relations among the quenching strengths of magnetic transitions due to the delta isobar excitation in  $\text{N}=\text{Z}$  nuclei
41. *H. Toki and G.F. Bertsch*; Phys. Rev. C26 (1982) 2330–2332  
Theoretical interpretation of the Gamow–Teller strength in the  $\text{Ca}(\text{p},\text{n})\text{Sc}$  reaction
42. *H. Toki, Y. Suzuki and K.T. Hecht*; Phys. Rev. C26 (1982) 736–739  
Role of quark Pauli effects for the central depression in the  $^3\text{He}$  density

43. *Y. Suzuki, K.T. Hecht and H. Toki*; Kinam 4 (1982) 99  
RGM-kernels for the 9-quark 3-nucleon system
44. *N. Anantaraman, H. Toki and G.F. Bertsch*; Nucl. Phys. A398 (1983) 269–278  
An effective interaction for inelastic scattering derived from the Paris potential
45. *H. Toki and H. Sarafian*; Phys. Lett. B119 (1982) 285–288  
Isospin dependence of pion absorption by nucleon pairs in the He isotopes
46. *O. Scholten, G.F. Bertsch and H. Toki*; Phys. Rev. C27 (1983) 2975–2976  
Gamow–Teller strength in the continuum
47. *G.E. Brown, H. Toki, W. Weise and A. Wirzba*; Phys. Lett. 118B (1982) 39–44  
Double D(1232) formation in pion–nucleus absorption
48. *M.W. Curtin, H. Toki and D.K. Scott*; Phys. Lett. 123B (1983) 289–292  
Liquid–Gas phase instability in nuclear system
49. *H. Toki*; Phys. Lett. 125B (1983) 442–444  
Quasi–free delta isobar production in the  $^{13}\text{C}(\text{p},\text{d})^{12}\text{C}$  reaction
50. *B. Castel, A.G.M. Van Hees and H. Toki*, Phys. Rev. C29 (1984) 1912–1913  
Origin of M1 strength in  $^{16}\text{O}$
51. *H. Toki, G.F. Bertsch and D. Cha*; Phys. Rev. C28 (1983) 1398–1401  
Implications of the recently discovered  $^{208}\text{Pb}(1+, E=5.84\text{MeV})$  state for the spin–dependent nuclear interaction
52. *P. Blunden, B. Castel and H. Toki*; Z. Physik A312 (1983) 247–249  
Quenched magnetic transitions from high spin states in light nuclei
53. *H. Toki and H. Stoecker*; Phys. Lett. 152B (1985) 326–329  
Shortening of the nucleon’s mean free path in heavy ion collisions
54. *B.A. Brown, D. Horen, B. Castel and H. Toki*; Phys. Lett. 127B (1983) 151–154  
Core excitations and M1 strengths in the Ca isotopes
55. *Y. Kitazoe, M. Gyulassy, P. Danielewicz, H. Toki, Y. Yamamura and M. Sano*; Phys. Lett. 138B (1984) 341–344  
New Cascade model calculation of pion multiplicity in high energy heavy ion collisions
56. *Y. Kitazoe, O. Hashimoto, H. Toki, Y. Yamamura and M. Sano*; Prog. Theor. Phys. 71 (1984) 1429–1431  
Primary projectile fragmentation distribution in high energy heavy ion collisions

57. *H. Toki, J. Dey and M. Dey*; Phys. Lett. 133B (1983) 20–22  
Baryon spectra in interacting boson model
58. *M.B. Johnson, E.R. Siciliano, H. Toki and A. Wirzba*; Phys. Rev. Lett. 52 (1984) 593–596  
Delta isobar dynamics in pion double charge exchange
59. *B.A. Brown, O. Scholten and H. Toki*; Phys. Rev. Lett. 51 (1983) 1952–1954  
Shell model study of the (p,p<sup>-</sup>) reactions in the f shell region
60. *A.D. Panagiotou, M.W. Curtin, H. Toki, D.K. Scott and P.J. Siemens*; Phys. Rev. Lett. 52 (1984) 496–499  
Experimental evidence for a liquid gas phase transition in nuclear system
61. *H. Toki and J.H. Kim*; Prog. Theor. Phys. 73 (1985) 884–888  
Shadowing on outgoing protons in (p,p) and (g,p) reactions
62. *H. Toki and H. Ejiri*, Nucl. Phys. A438 (1985) 503–511  
Relation between the Landau–Migdal interaction and the separable interaction
63. *K.-I. Kubo, H. Toki and M. Igarashi*, Nucl. Phys. A435 (1985) 708–716  
Optical potential description of antiproton–nucleus scattering at 46.8 MeV
64. *K.-I. Kubo, F. Iseki and H. Toki*; Phys. Lett. 153B (1985) 195–197  
Strong absorptive potential as the preferential antiproton–nucleus optical potential
65. *H. Toki and K.-I. Kubo*; Phys. Rev. Lett. 54 (1985) 1203–1204  
Comment on “High-spin-state spectroscopy with the reaction 88Sr(p,p<sup>-</sup>)89Zr”
66. *A. Hosaka, K.-I. Kubo and H. Toki*; Nucl. Phys. A444 (1985) 76–92  
G matrix effective interaction with Paris potential
67. *A. Hosaka, T. Kajino and H. Toki*; Nuovo Cimento 90A (1985) 315–323  
Center of mass problem for hadrons from the quark model
68. *M. Yabe, A. Hosaka, K.-I. Kubo and H. Toki*; Prog. Theor. Phys. 73 (1985) 1165–1171  
On the central–odd components in the G matrix interaction and the low energy (p,p') and (p,n) reactions
69. *J.H. Kim and H. Toki*; Prog. Theor. Phys. 72 (1985) 1050–1052  
Theoretical study of pion spectra after antiproton annihilation at rest in nuclei
70. *Y. Kitazoe, H. Furutani, H. Toki, Y. Yamamura, S. Nagamiya and M. Sano*; Phys. Rev. Lett. 53 (1984) 2000–2003  
Cascade model analysis of the sideward splash in Nb+Nb collisions with high multiplicity events

71. *Y. Kitazoe, M. Sano, H. Toki and S. Nagamiya*; Phys. Lett. 166B (1986) 35–40  
Pion production mechanism in high energy heavy ion collisions
72. *E. Oset, Y. Futami and H. Toki*; Nucl. Phys. A488 (1986) 597–636  
Pion absorption in the resonance region
73. *O. Scholten, H. Toki, J. Aichelin, A. Bonasera, R. Kaps and H. Sarafian*; Phys. Rev. C32 (1985) 653–656  
Microscopic description of the (p,p-) continuum at the intermediate proton energy
74. *H. Esbensen, H. Toki and G.F. Bertsch*; Phys. Rev. C31 (1985) 1816–1820  
Surface effects on the isovector spin response induced by high energy protons
75. *H. Sagawa and H. Toki*; Prog. Theor. Phys. 76 (1986) 433–439  
Thermal properties of finite nuclear system in the constrained Hartree–Fock approximation
76. *H. Sagawa and H. Toki*; J. Phys. G: (Nucl. Phys.) 13 (1987) 453–461  
Hartree–Fock calculations of light neutron-rich nuclei
77. *T. Kajino, H. Toki and S.M. Austin*; Astrophys. J. 319 (1987) 531–540  
Radiative alpha–capture rates leading to A=7 nuclei: Applications to the solar neutrino problem and big bang nucleosynthesis
78. *H. Takashita, A. Hosaka and H. Toki*; Prog. Theor. Phys. 75 (1986) 890–904  
Pionic cloud effect on hadron masses in the MIT quark bag model
79. *R. Gilman, H.T. Fortune, M.B. Johnson, E.R. Siciliano, H. Toki and A. Wirzba*; Phys. Rev. C32 (1985) 349–351  
Nonanalog pion double charge exchange through the delta–nucleon interaction
80. *P. Blunden, B. Castel and H. Toki*; Nucl. Phys. A440 (1985) 647–652  
Quenching of magnetic transitions as an angular momentum effect
81. *A. Hosaka and H. Toki*; Phys. Lett. 167B (1986) 153–156  
Chiral bag plus Skyrmion hybrid model for nucleons
82. *A. Hosaka and H. Toki*; Prog. Theor. Phys. 76 (1986) 1306–1320  
Landau–Migdal parameters g's in pi+rho model
83. *O. Scholten and H. Toki*; Phys. Rev. C34 (1984) 601–607  
(p,p-) continuum spectra at intermediate energy in the local Fermi gas model
84. *E. Shiino, Y. Saito, M. Ichimura and H. Toki*; Phys. Rev. C34 (1986) 1004–1011  
Delta isobar Landau–Migdal parameters and the high momentum properties in the spin–isospin response

85. *A. Hosaka, K. Kusaka, H. Takashita and H. Toki*; Prog. Theor. Phys. 76 (1986) 315–317  
On the axial coupling  $gA$  at large bag radius in the chiral bag plus Skyrme hybrid model for nucleons
86. *Y. Okuhara, B. Castel, I.P. Johnstone and H. Toki*; Phys. Rev. C34 (1986) 2019–2022  
Surface effects and the spin-isospin nuclear response functions
87. *R. Gilman, H.T. Fortune, M.B. Johnson, E.R. Siciliano, H. Toki, A. Wirzwa and B.A. Brown*; Phys. Rev. C34 (1986) 1895–1899  
Nuclear-structure aspects of nonanalog pion double charge exchange
88. *Y. Okuhara, B. Castel, I.P. Johnstone and H. Toki*; Phys. Lett. B186 (1987) 113–118  
Nuclear spin response to inelastic proton scattering: finite geometry and absorption effects
89. *F. Iseki, K.-I. Kubo and H. Toki*; Phys. Rev. C35 (1987) 1037–1039  
Cascade model calculations of anti-p + 12C + X at 590 MeV/c
90. *Y. Kitazoe, M. Sano, H. Toki and S. Nagamiya*; Phys. Rev. Lett. 58 (1987) 1508–1511  
Pion absorption effect on pion spectra in high energy heavy ion collisions
91. *T. Yasuda and H. Toki*; Prog. Theor. Phys. 77 (1987) 905–916  
Many body pion absorption processes in the delta resonance region
92. *T. Kajino, H. Toki and K.-I. Kubo*; Phys. Rev. C35 (1987) 1370–1381  
Pionic fusion and the clustering correlation
93. *T. Kajino, H. Toki, K.-I. Kubo and I. Tanihata*; Phys. Lett. 202B (1988) 475–478  
Hadronic matter and electric charge radii of 7Be and 7Li
94. *S. Hirenzaki, T. Kajino, K.-I. Kubo, H. Toki and I. Tanihata*; Phys. Lett. 194B (1987) 20–24  
Pionic atoms of unstable nuclei
95. *A. Hosaka and H. Toki*; Phys. Lett. 188B (1987) 301–306  
The generator coordinate spin-isospin projection in the chiral bag plus Skyrme hybrid model
96. *E. Shiino, A. Hosaka and H. Toki*; Prog. Theor. Phys. 78 (1987) 27–31  
Variation after spin-isospin projection in the Skyrme model
97. *A. Hosaka and H. Toki*; Mod. Phys. A3 (1988) 1413–1421  
The Skyrme and anti-Skyrme chiral bag model for nucleon
98. *H. Takashita, A. Hosaka and H. Toki*; Prog. Theor. Phys. 78 (1987) 387–394  
 $B = 2$  solutions of the chiral bag plus Skyrme hybrid model

99. *A. Hosaka and H. Toki*; Z. Physik A330 (1988) 111–116  
Pion fluctuation around the hedgehog solution in the chiral bag plus Skyrmion hybrid model
100. *Y. Kitazoe, H. Toki, Y. Yamamura, S. Nagamiya and M. Sano*; Phys. Rev. C37 (1988) 641–644  
Lateral ejection of low energy protons in high energy heavy-ion collisions
101. *K. Kusaka and H. Toki*; Nucl. Phys. A477 (1988) 596–608  
Nucleon–delta mass difference in the chiral bag plus Skyrmion hybrid model
102. *T. Kajino, E. Shiino, H. Toki, B.A. Brown and B.H. Wildenthal*; Nucl. Phys. A480 (1988) 175–187  
Beta decay rates of s-d shell nuclei in stellar interior
103. *K. Kusaka and H. Toki*; Mod. Phys. A5 (1990) 1135–1142  
Bag independent relation in the chiral bag plus Skyrmion hybrid model
104. *A. Hosaka and H. Toki*; Phys. Rev. C37 (1988) 2236–2238  
Generator coordinate method for spin–isospin projection in the chiral–bag–plus–Skyrmion hybrid model
105. *H. Takashita, S. Yoro and H. Toki*, Nucl. Phys. A485 (1988) 589–605  
Chiral bag plus Skyrmion hybrid model with vector mesons for nucleon
106. *E. Oset, E. Shiino and H. Toki*, Phys. Lett. 224B (1989) 249–254  
A new look at the (h,t) reaction on nucleons and nuclei
107. *H. Toki and T. Yamazaki*, Phys. Lett. 213B (1988) 129–133  
Deeply bound pionic states of heavy nuclei
108. *A. Hosaka, H. Toki and W. Weise*, Z. Phys. A332 (1989) 97–102  
Skyrmion solitons with vector mesons
109. *M. Mizoguchi, K. Sumiyoshi, T. Kajino and H. Toki*, Prog. Theor. Phys. 81 (1989) 1217–1224  
Pion–nucleus scattering in the GeV region
110. *H. Toki and B. Castel*, Phys. Lett. 219B (1989) 181–183  
Ikeda’s sum rule and charge–exchange reactions on Fe
111. *A. Hosaka, H. Toki and W. Weise*, Nucl. Phys. A506 (1990) 501–531  
Chiral bag with vector mesons
112. *H. Toki, S. Hirenzaki, T. Yamazaki and R.S. Hayano*, Nucl. Phys. A501 (1989) 653–671  
Structure and formation of deeply bound pionic atoms

113. *T. Yamazaki, R. Hayano, H. Toki and P. Kienle*, Nucl. Inst. Method. A292 (1990) 619–628  
Pion transfer reaction spectroscopy of inverse kinematics for studies of deeply bound pionic atoms in heavy nuclei
114. *H. Toki and B. Castel*, Z. Phys. A334 (1989) 523–524  
Origin of quenching of Gamow–Teller strength in  $^{54}\text{Fe}$
115. *A. Wirzba, H. Toki, E.R. Siciliano, M.J. Johnson and R. Gilman*, Phys. Rev. C40 (1989) 2745–2762  
Pion double charge exchange in the delta resonance region
116. *M. Mizoguchi and H. Toki*, Nucl. Phys. A513 (1990) 685–696  
Modification of pion– and kaon– nucleon scattering amplitudes in  $^{12}\text{C}$  at  $k=0.8\text{GeV}/c$
117. *H. Toki, S. Hirenzaki and T. Yamazaki*, Phys. Lett. B249 (1990) 391  
Sensitivity of deeply bound pionic atoms on the neutron skin
118. *H. Toki, S. Hirenzaki and T. Yamazaki*, Nucl. Phys. A530 (1991) 679–697  
Pion–transfer ( $n,d$ ) and ( $d,^3\text{He}$ ) reactions leading to deeply bound pionic atoms
119. *H. Toki, Y. Sugahara, D. Hirata, B.V. Carlson and I. Tanihata*, Nucl. Phys. A524 (1991) 633–648  
Properties of nuclei far from the stability line in the relativistic Hartree theory
120. *D. Hirata, H. Toki, T. Watabe, I. Tanihata, B.V. Carlson*, Phys. Rev. C44 (1991) 1467–1475  
Relativistic Hartree theory for nuclei far from stability line
121. *T. Yamazaki, R. Hayano and H. Toki*, Nucl. Inst. Methods A305 (1991) 406–409  
 $d(\text{H},^3\text{He})$  reaction spectroscopy for the formation of pionic bound states
122. *A. Hosaka and H. Toki*, Nucl. Phys. A529 (1991) 429–444  
G–matrix elements with effective masses for mesons and nucleons
123. *R. Seki, K. Masutani and H. Toki*, Phys. Lett. B263 (1991) 1–6  
Absorptive contents of optical potential parameters for pionic atoms
124. *H. Toki*, Perspectives of Meson Science (1992) 711–734  
Pion transfer reactions for the study of deeply bound pionic atoms and deltas in nuclei
125. *M. Iwasaki, A. Trudel, A. Celler, O. Hausser, R.S. Hayano, R. Helmer, R. Henderson, S. Hirenzaki, K.P. Jackson, Y. Kuno, N. Matsuoka, J. Mildenberger, C.A. Miller, H. Ohta, H. Sakai, H. Toki, M. Vetterli, Y. Watanabe, T. Yamazaki and S. Yen*, Phys. Rev. C43 (1991) 1099–1105  
Search for deeply bound pionic states in  $^{208}\text{Pb}$  using the  $^{208}\text{Pb}(n,p)$  reactions at  $T_n=418\text{MeV}$
126. *S. Hirenzaki, H. Toki and T. Yamazaki*, Phys. Rev. C44 (1991) 2472–2479  
( $d,^3\text{He}$ ) reactions for the formation of deeply bound pionic atoms

127. *J. Nieves, S. Hirenzaki, E. Oset, H. Toki*, Modern Phys. Lett. A32 (1992) 2991–2998  
(p-,p+) reactions for formation of double pionic atoms
128. *K. Sumiyoshi, H. Toki and R. Brockmann*, Phys. Lett. B276 (1991) 393–397  
Supernova and neutron stars from the relativistic equations of state
129. *R. Brockmann and H. Toki*, Phys. Rev. Lett. 68 (1992) 3408–3411  
Relativistic density dependent Hartree approach for finite nuclei
130. *T. Watabe and H. Toki*, Prog. Theor. Phys. 87 (1992) 651–661  
The chiral quark–soliton model for the nucleon
131. *A. Hosaka and H. Toki*, Prog. Theor. Phys. supplement 109 (1992) 137–159  
Chiral bag model
132. *H. Toki and K. Suzuki*, Prog. Theor. Phys. 87 (1992) 1435–1441  
Scale invariant Nambu and Jona–Lasinio model with confinement for hadrons
133. *K. Suzuki and H. Toki*, Mod. Phys. Lett. A7 (1992) 2867–2875  
Flavor SU(4) baryon and meson masses in diquark–quark model using the Pauli–Gursey symmetry
134. *I. Tanihata, D. Hirata, T. Kobayashi, S. Shimoura, K. Sugimoto and H. Toki*, Phys. Lett. B289 (1992) 261–266  
Revelation of thick neutron skins in nuclei
135. *M. Mizoguchi, S. Hirenzaki and H. Toki*, Nucl. Phys. A567 (1994) 893–918  
Microscopic kaonic–atom optical potential in finite nuclei with L(1405)and S(1385) resonances
136. *K. Sumiyoshi, D. Hirata, H. Toki and H. Sagawa*, Nucl. Phys. A552 (1993) 437–450  
Comparison of the relativistic mean field theory and the Skyrme Hartree–Fock theory for properties of nuclei and nuclear matter
137. *K. Suzuki and H. Toki*, Modern Physics Letter A9 (1994) 1059–1069  
Non–leptonic weak transitions with DI=1/2 rule in diquark–quark model using the Pauli–Guersey symmetry
138. *K. Sumiyoshi and H. Toki*, Astrophys. Journal 422 (1994) 700–718  
Relativistic equation of state of nuclear matter for the supernova explosion and the birth of neutron stars
139. *D. Hirata, H. Toki, I. Tanihata and P. Ring*, Phys. Lett. B314 (1993) 168–172  
Systematic study of Sr isotopes in the relativistic mean field theory
140. *S. Hirenzaki, H. Toki and I. Tanihata*, Nucl. Phys. A552 (1993) 57–65  
Proton elastic scattering with 9Li and 11Li and its halo structure

141. *T. Shigetani, K. Suzuki and H. Toki*, Phys. Lett. B308 (1993) 383–388  
Pion structure function in the Nambu and Jona-Lasinio model
142. *H. Ejiri and H. Toki*, Phys. Lett. B306 (1993) 218–223  
Search for exotic nuclear transitions with nuclear instability
143. *Y. Sugahara and H. Toki*, Nucl. Phys. A579 (1994) 557–572  
Relativistic mean field theory for unstable nuclei with non-linear sigma and omega terms
144. *K. Suzuki, T. Shigetani and H. Toki*, Nucl. Phys. A573 (1994) 541–553  
Diquark correlations in the nucleon structure function
145. *A. Hosaka and H. Toki*, Phys. Lett. B322 (1993) 1–6  
gA problem in the chiral bag model
146. *H. Saganuma, S. Sasaki and H. Toki*, Nucl. Phys. B435 (1995) 207–240  
Color confinement, Quark pair creation and dynamical chiral-symmetry breaking in the dual Ginzburg-Landau theory
147. *T. Shigetani, K. Suzuki and H. Toki*, Nucl. Phys. A579 (1994) 413–437  
Meson structure in deep inelastic scattering
148. *Y. Sugahara and H. Toki*, Prog. Theor. Phys. 92 (1994) 803–813  
Relativistic mean field theory for lambda hypernuclei and neutron stars
149. *K. Sumiyoshi, H. Kuwabara and H. Toki*, Nucl. Phys. A581 (1995) 725–746  
Relativistic mean field theory with non-linear s and w terms for neutron stars and supernovae
150. *S. Sasaki, H. Saganuma and H. Toki*, Prog. Theor. Phys. 94 (1995) 373–384  
Dual Ginzburg-Landau theory with QCD monopoles for dynamical chiral-symmetry breaking
151. *H. Ichie, H. Saganuma and H. Toki*, Phys. Rev. D52 (1995) 2944–2950  
QCD phase transition at finite temperature in the dual Ginzburg-Landau theory
152. *I. Tanihata, D. Hirata and H. Toki*, Nucl. Phys. A583 (1995) 769–774  
Are all nuclei spherical at the drip line?
153. *K. Sumiyoshi, K. Oyamatsu and H. Toki*, Nucl. Phys. A595 (1995) 327–345  
Neutron star profiles in the relativistic Brueckner Hartree-Fock Theory
154. *K. Sumiyoshi, H. Suzuki and H. Toki*, Astro. and Astrophys. 303 (1995) 475–482  
Influence of the symmetry energy on the birth of neutron stars and supernova neutrinos
155. *J.A. Gomez Tejedor, E. Oset and H. Toki*, Phys. Lett. B346 (1995) 240–243  
Double D production in the gd→pnp+p- reaction

156. *A. Hosaka and H. Toki*, Phys. Rep. 277 (1996) 65–188.  
Chiral Bag Model for the Nucleon
157. *H. Suganuma, S. Sasaki, H. Ichie and H. Toki*, Prog. Theor. Phys. (Suppl.) 120 (1995) 57–73  
Dual Higgs Mechanism for Quarks in Hadrons International Conferences
158. *H. Ichie, H. Suganuma and H. Toki*, Phys. Rev. D54 (1996) 3382–3388  
Multi-flux-tube system in the dual Ginzburg–Landau theory
159. *K. Suzuki and H. Toki*, Int. J. of Mod. Phys. A11 (1996) 2677–2688  
Heavy quarkonium in the dual Ginzburg–Landau theory of QCD
160. *S. Sasaki, H. Suganuma and H. Toki*, Phys. Lett. B387 (1996) 145–150  
Role of dual Higgs mechanism in chiral phase transition at finite temperature
161. *N. Nose, K. Kume and H. Toki*, Phys. Rev. C53 (1996) 2324–2327  
Two-nucleon model calculation of ( $p,p-$ ) spectra for calcium isotopes
162. *D. Hirata, K. Sumiyoshi, B.V. Carlson, H. Toki and I. Tanihata*, Nucl. Phys. A609 (1996) 131–146  
Triaxial deformation of unstable nuclei in the relativistic mean-field theory
163. *H. Shen, Y. Sugahara and H. Toki*, Phys. Rev. C55 (1997) 1211–1217  
Relativistic mean field approach with density dependent couplings for finite nuclei
164. *H. Toki, S. Hirenzaki and K. Takahashi*, Z. Phys. A356 (1997) 359–361  
Theoretical response to the discovery of deeply bound pionic states in  $^{208}\text{Pb}(d, 3\text{He})$  reactions
165. *S. Hirenzaki and H. Toki*, Phys. Rev. C55 (1997) 2719–2722  
Formation of deeply bound 1s pionic states in the  $^{206}\text{Pb}(d, 3\text{He})$  reaction
166. *M. Fukushima, S. Sasaki, H. Suganuma, A. Tanaka, H. Toki and D. Diakonov*, Phys. Lett. B399 (1997) 141–147  
Clustering of monopoles in the instanton vacuum
167. *Y. Yamamoto, K.-I. Kubo and H. Toki*, Prog. Theor. Phys. 98 (1997) 95–128  
Quark recombination spin polarization in high energy inclusive hadron reactions
168. *H. Toki and L.-A. Wu*, Phys. Rev. Lett. 79 (1997) 2006–2009  
DI=4 bifurcation in ground bands of even–even nuclei and the success of interacting boson model
169. *L.-A. Wu and H. Toki*, Phys. Rev. C56 (1997) 1821–1830  
Evidence on DI=4 bifurcation in ground bands of even–even nuclei and the theoretical explanation with the interacting boson model

170. *Z. Ma, N. V. Giai, H. Toki and M. L'Huillier*, Phys. Rev. C55 (1997) 2385–2388  
Compressibility of nuclear matter and breathing mode of finite nuclei in relativistic random phase approximation
171. *H. Monden, H. Ichie, H. Suganuma and H. Toki*, Phys. Rev. C57 (1998) 2564–2575  
Surface tension in the QCD phase transition in the dual Ginzburg–Landau theory
172. *Lin-Ao Wu and Hiroshi Toki*, Phys. Lett. B407 (1997) 201–211  
Anomalous staggering in the masses of the rotational nuclei in the actinide region
173. *Z. Ma, H. Toki, B. Chen and N.V. Giai*, Prog. Theor. Phys. 98 (1997) 917–926  
The giant dipole resonance in Ar-isotopes in the relativistic RPA
174. *Hiroshi Toki and Lian-Ao Wu*, Prog. Theor. Phys. 98 (1997) 745–748  
DI=2 staggering in ground rotational bands and DA=2 mass staggering in the deformed nuclei
175. *Z. Ma, H. Toki and N.V. Giai*, Nucl. Phys. A627 (1997) 1–13  
Giant resonances in the relativistic RPA with non-linear interactions
176. *S. Umisedo, H. Suganuma and H. Toki*, Phys. Rev. D57 (1998) 1605–1614  
Correlation between confinement and chiral-symmetry breaking in the dual Higgs theory
177. *S. Hirenzaki and H. Toki*, Nucl. Phys. A628 (1998) 403–416  
Neutron pick-up pion transfer reactions for the formation of deeply bound pionic atoms in 208Pb
178. *K. Oyamatsu, I. Tanihata, Y. Sugahara, K. Sumiyoshi and H. Toki*, Nucl. Phys. A634 (1998) 3–14  
Can the equation of state of asymmetric nuclear matter be studied using unstable nuclei?
179. *C. Nakamoto and H. Toki*, Prog. Theor. Phys. 99 (1998) 1001–1015  
One and two baryon systems in the chiral constituent quark model
180. *T.S.H. Lee, Z.Y. Ma, B. Saghai and H. Toki*, Phys. Rev. C58 (1998) 1551–1557  
Photoproduction of a lambda on 12C
181. *H. Shen, H. Toki, K. Oyamatsu and K. Sumiyoshi*, Nucl. Phys. A637 (1998) 435–450  
Relativistic equation of state of nuclear matter for supernova and neutron star
182. *H. Shen, H. Toki, K. Oyamatsu and K. Sumiyoshi*, Prog. Theor. Phys. 100 (1998) 1013–1031  
Relativistic equation of state of nuclear matter for supernova explosion
183. *N. Nose-Togawa, K. Kume and H. Toki*, Phys. Rev. C57 (1998) 2502–2506  
Energy dependence of the 12,14C(p,pi-)13,15O reactions in a two-nucleon model
184. *A. Hosaka, H. Toki and M. Takayama*, Mod. Phys. Lett. A21 (1998) 1699–1707  
Baryon spectra in deformed oscillator quark model

185. *K.-I. Kubo, Y. Yamamoto and H. Toki*, Prog. Theor. Phys. 101 (1999) 615–625  
New mechanisms for the anomalous spin observables in high energy hyperon productions
186. *F. Araki, M. Musakhanov and H. Toki*, Phys. Rev. D59 (1999) 037501 (1–4)  
Role of charm in the decay of B mesons to eta' K
187. *K. Kusaka, T. Sakai and H. Toki*, Prog. Theor. Phys. 101 (1999) 721–747  
Bethe–Salpeter approach for mesons in the pion channel within the dual Ginzburg–Landau theory
188. *H. Toki and I. Tanihata*, Phys. Rev. C59 (1999) 1196–1198  
Implication of recent (p, n) spin experiments and the necessity of relativity in nuclear physics
189. *A.I. Titov, T.-S.H. Lee and H. Toki*, Phys. Rev. C59 (1999) R2993–R2997  
Isotopic effect in phi photoproduction at a few GeV
190. *K. Kusaka, H. Toki and S. Umisedo*, Phys. Rev. D59 (1999) 116010 (1 –10)  
Nonperturbative renormalization of a fermion mass term in the mass-independent renormalization scheme
191. *H. Muether, S. Ulrych and H. Toki*, Int. J. Mod. Phys. E8 (1999) 179–196  
Correlations and the relativistic structure of the nucleon self-energy
192. *M. Takayama, H. Toki and A. Hosaka*, Prog. Theor. Phys. 101 (1999) 1271–1283  
Systematics of the SU(3) baryon spectra and deformed oscillator quark model
193. *V. Gogohia, Gy. Kluge, H. Toki and T. Sakai*, Phys. Lett. B453 (1999) 281–288  
Vacuum energy density of chiral QCD in the zero modes enhancement quantum model
194. *A.I. Titov, T.-S.H. Lee, H. Toki and O. Streltsova*, Phys. Rev. C60 (1999) 035205 (1–20)  
Structure of the phi photoproduction amplitude at a few GeV
195. *Y. Koma, H. Suganuma, and H. Toki*, Phys. Rev. D60 (1999) 074024 (1–9)  
Flux–tube ring and glueball properties in the dual Ginzburg–Landau theory
196. *J.C. Nacher, E. Oset, H. Toki and A. Ramos*, Phys. Lett. B455 (1999) 55–61  
Photoproduction of the  $\bar{\Lambda}(1405)$  on the proton and nuclei
197. *J.C. Nacher, E. Oset, H. Toki and A. Ramos*, Phys. Lett. B461 (1999) 299–306  
Radiative production of the  $\bar{\Lambda}(1405)$  resonance in  $K^-$  collisions on protons and nuclei
198. *K. Yoshida and H. Toki*, Nucl. Phys. A648 (1999) 75–88  
Longitudinal and transverse spin responses in relativistic many–body theory
199. *T. Watabe, M. Fukushima and H. Toki*, Phys. Rev. D62 (2000) 054005  
Role of instanton size distributions for dynamical chiral symmetry breaking.

200. *Y.Umemoto, S. Hirenzaki, K. Kume and H. Toki*, Phys. Rev. C62 (2000) 024606  
Isotope dependence of deeply bound pionic states in sn and pb.
201. *M. Fukushima, H. Suganuma and H. Toki*, Nucl. Phys. Proc. Suppl. 83 (2000) 458–460  
Quark confinement and extended monopole clustering in the multi-instanton system.
202. *M. Takayama, A. Hosaka and H. Toki*, Nucl. Phys. A663 (2000) 695–698  
Systematics of baryon masses and deformed oscillator quark model.
203. *T. Sakai, K. Kusaka and H. Toki*, Nucl. Phys. A663 (2000) 643–646  
Bethe-Salpeter approach for mesons within the dual Ginzburg-Landau theory.
204. *N. Nakajima, K. Suzuki, H. Toki and K. Kubo*, Nucl. Phys. A663 (2000) 643–646  
Analyzing powers in inclusive pion production at high-energy and nucleon spin structure.
205. *S.Hirenzaki and H. Toki*, Nucl. Phys. A670 (2000) 194–197  
Structure and formation of deeply bound pionic atoms.
206. *V. Gogokhia, H. Toki, T. Sakai and G. Kluge*, Int. J. Mod. Phys. A15 (2000) 45–64  
Chiral qcd vacuum energy density in the zero modes enhancement quantum model.
207. *O. Civitarese, F. Montani, M. Reboiro and H. Toki*, Phys. Rev. C61 (2000) 064306  
Spontaneous symmetry breaking and the energy of nuclear isobaric analog states.
208. *S. Hirenzaki, Y. Okumura, H. Toki, E. Oset and A.Ramos*, Phys. Rev. C61 (2000) 055205  
Chiral unitary model for the kaonic atom.
209. *D. Roy, T. Morii, H. Toki and A.I. Titov*, Prog. Theor. Phys. 103 (2000) 747–753  
Is there window for a supersoft pomeron in J/psi photoproduction at low energy?
210. *Z. Ren and H. Toki*, Prog. Theor. Phys. 104 (2000) 595–601  
Detailed study of the ground state properties of the newly found nuclei Ni-48 in relativistic mean-field theory
211. *H. Toki and H. Suganuma*, Prog. in Part. Nucl. Phys. 45 (2000) 397–472  
Dual Ginzburg-Landau Theory for Confinement and Chiral Symmetry Breaking
212. *By H. Toki, H. Suganuma, M. Fukushima*, Nucl. Phys. A 680 10–16 (2000)  
He Mechanism of confinement and chiral symmetry breaking in quark nuclear physics.
213. *E. Oset, H. Toki, M. Mizobe, T.T. Takahashi*, Prog. Theor. Phys. 103: 351–365 (2000)  
Sigma exchange in the NN interaction within the chiral unitary approach.
214. *D. Ebert, R.N. Faustov, V.O. Galkin, H. Toki*, Phys. Lett. B495: 309–316 (2000)  
Rare radiative B decay to the orvitally excited K\*\*2(1430) Meson.

215. *H. Toki*, Prog. Part. Nucl. Phys. 44: 401–412(2000)  
Quark nuclear physics at SPring-8
216. *Teruaki Watabe, Masahiro Fukushima, Hiroshi Toki*, Phys. Rev. D62: 054005 (2000)  
Role of instanton size distributions for dynamical chiral symmetry breaking
217. *S. Hirenzaki, T. Hatsuda, K. Kume, T. Kunihiro, H. Nagahiro, Y. Okumura, E. Oset, A. Ramos, H. Toki, Y. Umemoto*, Nucl. Phys. A663: 553–556 (2000)  
Physics of mesic atoms and mesic nuclei structure and formation
218. *Y. Koma, E.M. Ilgenfritz, H. Toki, T. Suzuki*, Phys. Rev. D64 011501 (2001)  
Casimir scaling in a dual superconducting scenario of confinement
219. *Y. Umemoto, S. Hirenzaki, K. Kume, H. Toki, I. Tanihata*, Nucl. Phys. A679: 549–562 (2001)  
Deeply bound pionic atoms on Beta-unstable nuclei
220. *A. Ramos, S. Hirenzaki, S.S. Kamalov, T.T.S. Kuo, Y. Okumura, E. Oset, A. Polls, H. Toki, L. Tolos*, Nucl. Phys. A691: 258–267 (2001)  
Anti-Kaons in Nuclei and Dense Nuclear Matter
221. *M. Fukushima, E.M. Ilgenfritz, H. Toki*, Phys. Rev. D64: 034503 (2001)  
Abelian Monopole and Center Vortex Views at the Multi-instanton Gas.
222. *D. Ebert, K.G. Klimenko, H. Toki*, Phys. Rev. D64: 014038 (2001)  
Chromomagnetic Catalysis of Color Superconductivity in a (2+1)– Dimensional NJL model.
223. *Y. Koma, E.M. Ilgenfritz, T. Suzuki, H. Toki*, Phys. Rev. D64: 014015 (2001)  
WELY Symmetric Representation of Hadronic Flux Tubes in the Dual Ginzburg–Landau Theory.
224. *S. Sugimoto, K. Sumiyoshi, H. Toki*, Phys. Rev. C64: 054310 (2001)  
Relativistic Hartree–Bogolybov Approach for Nuclear Matter with Nonlinear Coupling Terms.
225. *O. Kiriyama, S. Yasui, H. Toki*, Int. J. Mod. Phys. E10: 501–510 (2001)  
Color Superconductivity at Finite Density and Temperature with Flavor Asymmetry.
226. *D. Ebert, K.G. Klimenko, H. Toki, V.C. Zhukovsky*, Prog. Theor. Phys. 106: 835–849 (2001)  
Chromomagnetic Catalysis of Color Superconductivity and Dimensional Reduction.
227. *A. Hosaka, H. Toki*, World Scientific (2001) book  
Quarks, Baryons and Chiral symmetry
228. *D. Ebert, R.N. Faustov, V.O. Galkin, H. Toki*, Phys. Rev. D64: 054001 (2001)  
Rare Radiative B Decays to Orbitally Excited K Mesons

229. *K. Kaki and H. Toki*, Nucl. Phys. A696: 453–466 (2001)  
Relativistic Impulse Approach for Proton Elastic Scattering with Ni58 and Sn120 at  $E_p = 200, 300$  and 400MeV
230. *J. Meng, H. Toki, J. Y. Zeng, S. Q. Zhang, S.-G. Zhou*, Phys. Rev. C65: 041302 (2002)  
Giant Halo at the Neutron Drip Line in Ca isotopes in Relativistic Continuum Hartree–Bogoliubov Theory.
231. *S.G. Bondarenko, V.V. Burov, A.V. Molochkov, G.I. Smirnov, H. Toki*, Prog. Part. Nucl. Phys. 48, 2 (2002)  
Bethe–Salpeter Approach with the Separable Interaction for Deuteron.
232. *Serge G. Bondarenko, Valery V. Burov, Naohide Hamamoto, Hiroshi Toki*, Phys. Rev. C65: 064003 (2002)  
Dispersion Representation for the Nucleon–Nucleon T Matrix in the Bethe–Salpeter Approach
233. *L.J. Abu–Raddad, A. Hosaka, D. Ebert, H. Toki*, Phys. Rev. C66: 025206 (2002)  
Path Integral Hadronization for the Nucleon and its Interactions
234. *Yoshiaki Koma, Miho Koma, Dietmar Ebert, Hiroshi Toki*, JHEP 0208: 047 (2002)  
Towards the String Representation of the Dual Abelian Higgs Model Beyond the London Limit
235. *H. Shen, H. Toki*, Nucl. Phys. A707: 469–476 (2002)  
Study of Lambda Hypernuclei in the Quark Mean Field Model
236. *H. Toki, S. Sugimoto and K. Ikeda*, Progress of Theoretical Physics 108, 903–916 (2002)  
Relativistic Mean–Field theory with the Pion in Finite Nuclei
237. *T. Zheng, T. Yamaguchi, A. Ozawa, M. Chiba, R. Kanungo, T. Kato, K. Katori, T. Ohnishi, S. Suda, I. Tanihata, Y. Yamaguchi, A. Yoshida, K. Yoshida, H. Toki and N. Nakajima*, Nucl Phys A 709: 103–118 (2002)  
Study of halo structure of  $^{16}\text{C}$  from reaction cross section measurement
238. *H. Toki*, Euro. Phys. J. A13: 177–180 (2002)  
Relativistic Many–Body Theory with Radioactive Ion Beam: Surface Pion Condensation
239. *R. Kanungo, I. Tanihata, Y. Ogawa and H. Toki et al.*, Nucl. Phys. A701: 378C–382C (2002)  
Halo Structure in C19
240. *Y. Koma, M. Koma, D. Ebert and H. Toki*, Nucl. Phys. B648 (2003) 189–202  
Effective string action for the  $\text{U}(1)*\text{U}(1)$  dual Ginburg–Landau theory beyond the London limit
241. *S.G. Bondarenko, V.V. Burov, N. Hamamoto, A. Hosaka, Y. Manabe, H. Toki*, Nucl. Phys. A721: 413–416 (2003)  
Separable Kernel of Nucleon–Nucleon Interaction in the Bethe–Salpeter Approach for  $J = 0, 1$

242. *S. Sugimoto, K. Ikeda, H. Toki, N. Minkov*, Nucl. Phys. A722: 360–365 (2003)  
Relativistic Mean Field with the Pion for Finite Nuclei.
243. *K. Sumiyoshi, H. Suzuki, S. Yamada, H. Toki*, Nucl. Phys. A730: 227–251, 2004  
Properties of a Relativistic Equation of State for Collapse Driven Supernovae.
244. *N. Sandulescu, L.S. Geng, H. Toki, G. Hillhouse*, Phys. Rev. C68 : 054323, 2003  
Pairing Correlations and Resonant States in the Relativistic Mean Field Theory
245. *Li-Sheng Geng, Hiroshi Toki, Satoru Sugimoto, Jie Meng*, Prog. Theor. Phys. 110 : 921–936, 2003  
Relativistic Mean Field Theory Theory for Deformed Nuclei with the Pairing Correlations.
246. *L.S. Geng, H. Toki, A. Ozawa, J. Meng*, Nucl. Phys. A730 : 80–94, 2004  
Proton and Neutron Skins of Light Nuclei within the Relativistic Mean Field Theory.
247. *L.S. Geng, H. Toki, J. Meng*, Prog. Theor. Phys. 112, 603–617 , 2004  
Proton Rich Nuclei AT and Beyond the Proton Drip Line in the Relativistic Mean Field Theory.
248. *L.S. Geng, H. Toki, J. Meng*, Phys. Rev. C68, 061303, 2003  
Alpha Decay Chains of  $\text{\{}^{288}173\text{\}}\text{^{115}}$  and  $\text{\{}^{287}172\text{\}}\text{^{115}}$  in the Relativistic Mean Field Theory.
249. *L.S. Geng, H. Toki, J. Meng*, Mod. Phys. Lett. A19 , 2171–2190, 2004  
A Full Calculation of Zr and Sn Isotopes in the Relativistic Mean Field Theory.
250. *J. Meng, W. Zhang, S.G. Zhou, H. Toki, L.S. Geng*, European Physical Journal A25, 23, 2005  
First Order Shape Transition and Critical Point Nuclei in Sm Isotopes from Relativistic Mean Field Approach
251. *Yoko Ogawa, Hiroshi Toki, Setsuo Tamenaga, Hong Shen, Atsushi Hosaka, Satoru Sugimoto, Kiyomi Ikeda*, Prog. Theor. Phys. 111: 75–92, 2004  
Chiral Sigma Model with Pion Mean Field in Finite Nuclei.
252. *H.L. Yadav, M. Kaushik, H. Toki*, International Journal of Modern Physics E13, 647, 2004  
Description of Drip Line Nuclei within Relativistic Mean–Field Plus BCS Approach.
253. *L.S. Geng, H. Toki, J. Meng*, Jour. of Phys. G 30, 1915–1928 2004  
A Systematic Study of Neutron Magic Nuclei with N=8, N=20, N=28, N=50, N=82, and N=126 in the Relativistic Mean Field Theory.
254. *D. Cabrera, L. Roca, E. Oset, H. Toki, M.J.V. Vacas*, Nuclear Physics A733, 130–141(2004)  
Mass dependence of inclusive nuclear phi photoproduction
255. *W. Zhang, J. Meng, S.Q. Zhang, L.S. Geng, H. Toki*, Nucl. Phys. A 753, 106–135 2004  
Magic Numbers for Superheavy Nuclei in Relativistic Continuum Hartree–Bogolyubov Theory.

256. *V. Burov, A. Molochkov, G.I. Smirnov, H. Toki*, Physics Letters B 587, 175–183 (2004)  
Relating the proton, neutron and deuteron structure functions in the covariant Bethe–Salpeter formalism
257. *E. Hiyama, K. Suzuki, H. Toki, M. kamimura*, Progress of Theoretical Physics 112, 99–117 (2004)  
Role of the quark–quark correlation in baryon structure and non-leptonic weak transitions of hyperons
258. *L.S. Geng, H. Toki, J. Meng*, Modern Physics Letters A 19, 2171–2190 (2004)  
A systematic study of Zr and Sn isotopes in the relativistic mean field theory
259. *H. Shen, S. Tamenaga, H. Toki*, Nuclear Physics A 745, 121–128 (2004)  
Variation of hadron masses in nuclear matter in the relativistic Hartree approximation
260. *H. L. Yadav, M. Kaushik, H. Toki*, Inter. Journal of Modern Physics E 13, 647–696 59 (2004)  
Description of Drip-Line Nuclei within Relativistic Mean-Field Plus BCS Approach
261. *Y. Manabe, N. Hamamoto, S.G.Bondarenko, V.V.Burov, A.Hosaka, H.Toki*, Phys. Part. Nucl. Lett. N1 (124) 2004  
Rank I and Rank II Yamaguchi Type Separable Kernels of Nucleon–Nucleon Interaction in the Covariant
262. *A. Haga, Y. Horikawa, Y. Tanaka, and H. Toki*, Phys. Rev. C69, 044308, 2004  
Relativistic random–phase approximation calculation with negative energy states of nuclear polarization in muonic atoms
263. *A. Haga, S. Tamenaga, H. Toki, and Y. Horikawa*, Phys. Rev. C 70, 064322 (2004)  
Relativistic Hartree approach with exact treatment of vacuum polarization for finite nuclei
264. *S. Yasui, A. Hosaka, H. Toki*, Phys. Rev. D71: 074009, 2005  
Chiral symmetry breaking and stability of strangelets
265. *S Banerjee, A Bhattacharyya, SK Ghosh, EM Ilgenfritz, S Raha, B Sinha, E Takasugi, H Toki*, Phys. Lett. B611 (1–2): 27–33, 2005  
Cosmological dark energy from the cosmic QCD phase transition and colour entanglement
266. *H Toki*, International Journal of Modern Physics A 20, 301–309 (2005)  
Deeply bound pionic atoms and finite pion mean field in nuclei
267. *S. Yasui, A. Hosaka, H. Toki*, Physical Review D 71, 074009 (2005)  
Chiral symmetry breaking and stability of strangelets
268. *L.S. Geng, H. Toki, J. Meng*, Progress of Theoretical Physics 113, 785–800 (2005)  
Masses, deformations and charge radii – Nuclear ground-state properties in the relativistic mean field model

269. *S. Raha, S. Banerjee, A. Bhattacharyya, S.K. Ghosh, E.M. Ilgenfritz, B. Sinha, E. Takasugii, H. Toki*, Journal of Physics G31, S857–S862 (2005)  
Strangeness, cosmological cold dark matter and dark energy
270. *H. Shen, H. Toki*, Physical Review C 71, 065208 (2005)  
Pentaquark Theta(+) in nuclear matter and Theta(+) hypernuclei
271. *A. Haga, Y. Horikawa, H. Toki, Y. Tanaka*, Nucl. Instrum. & Meth. B 235, 71–75 JUL 2005  
Full-relativistic calculation of nuclear polarization in atomic and muonic levels
272. *K. Sumiyoshi, S. Yamada, H. Suzuki, H. Shen, S. Chiba, H. Toki*, Astrophysical Journal 629, 922–932 (2005)  
Postbounce evolution of core-collapse supernovae: Long-term effects of the equation of state
273. *J. Meng, W. Zhang, S.G. Zhou, H. Toki, L.S. Geng*, Euro. Phys. J. A25, 23–27 (2005)  
Shape evolution for Sm isotopes in relativistic mean-field theory
274. *A. Haga, H. Toki, S. Tamenaga, Y. Horikawa, H.L. Yadav*, Physical Review C 72, 034301 (2005)  
Self-consistent relativistic random-phase approximation with vacuum polarization
275. *T. Myo, K. Kato, H. Toki, K. Ikeda*, Journal of Physics G31, S1681–S1685 (2005)  
Tensor correlation in He isotopes
276. *Y. Manabe, A. Hosaka, H. Toki*, Journal of Physics G31, 1183–1190 (2005)  
Relationship between the separable and one-boson-exchange potential for the covariant Bethe-Salpeter equation
277. *E. Hiyama, M. Kamimura, A. Hosaka, H. Toki, M. Yahiro*, Physics Letters B 633, 237–244 (2006)  
Five-body calculation of resonance and scattering states of pentaquark system
278. *H. Shen, F. Yang, H. Toki*, Progress of Theoretical Physics 115, 325–335 (2006)  
Double-A hypernuclei in the relativistic mean-field theory
279. *V. Dmitrasinovic, H. Toki*, Annals of Physics 321, 355–401 (2006)  
Light hadron spectra in the constituent quark model with the Kobayashi–Kondo–Maskawa–’t Hooft effective U-A(1) symmetry breaking interaction
280. *Y. Ogawa, H. Toki, S. Tamenaga, S. Sugimoto, K. Ikeda*, Physical Review C 73, 034301 (2006)  
Charge and parity projected relativistic mean field model with pion for finite nuclei
281. *L.S. Geng, H. Toki, E.G. Zhao*, Journal of Physics G32, 573–582 (2006)  
The stability and the shape of the heaviest nuclei
282. *L.S. Geng, J. Meng, H. Toki, W.H. Long, G. Shen*, Chin. Phys. Lett. 23, 1139–1141 (2006)  
Spurious shell closures in the relativistic mean field model

283. *Y. Nakagawa, A. Nakamura, T. Saito, H. Toki, D. Zwanziger*, Physical Review D 73, 094504 (2006)  
Properties of color–Coulomb string tension
284. *E. Hiyama, M. Kamimura, A. Hosaka, H. Toki, M. Yahiro*, Few–Body Systems 38, 91–96 (2006)  
Five–body calculation of resonance and scattering states of the uudds(–) system
285. *E. Oset, H. Toki*, Physical Review C 74, 015207 (2006)  
Critical analysis on deeply bound kaonic states in nuclei
286. *V.K. Magas, E. Oset, A. Ramos, H. Toki*, Physical Review C 74, 025206 (2006)  
Critical view on the deeply bound K– pp system
287. *K. Sato, H. Toki*, Nucl. Instrum. & Meth. A 565, 351–357 (2006)  
Synchrotron magnet power supply network with normal and common modes including noise filtering
288. *J. Meng, H. Toki, S.G. Zhou, S.Q. Zhang, W.H. Long, L.S. Geng*, Progress in Particle and Nuclear Physics 57, 470–563 (2006)  
Relativistic continuum Hartree Bogoliubov theory for ground–state properties of exotic nuclei
289. Sugimoto S, Toki H, Ikeda K, Phys Rev C76 054310 (2007)  
Effect of the tensor force in the exchange channel on the spin-orbit splitting  
in F-23 in the Hartree-Fock framework
290. Myo T, Kato K, Toki H, Ikeda K, Phys Rev C76 024305 (2007)  
Roles of tensor and pairing correlations on halo formation in Li-11
291. Ogawa Y, Toki H, Tamenaga S, PHYS REV C 76 014305 (2007)  
Relativistic chiral mean-field model with parity and charge projection for finite nuclei
292. Sugimoto S, Ikeda K, Toki H, NUCL PHYS A789 155-163 (2007)  
Study of the effect of the tensor correlation on the alpha-alpha interaction  
in Be-8 with the chargeand parity-projected Hartree-Fock method
293. Scholten O, Tamenaga S, Toki H, PHYS REV C 75 055203 (2007)  
Loop corrections and the K-matrix formalism
294. Haga A, Horikawa Y, Toki H, PHYS REV C 75 044315 (2007)  
Reanalysis of muonic Zr-90 and Pb-208 atoms
295. Ramos A, Magas VK, Oset E, Toki H, EUR PHYS JOUR A 31 684-686 (2007)  
Conventional view versus FINUDA claims of a deeply bound K(-)pp state

296. Myo T, Sugimoto S, Kato K, Toki H, Ikeda K, PROG THEOR PHYS 117 257-274 (2007)  
Tensor correlation in He-4 with the tensor-optimized shell model
297. Nakagawa Y, Nakamura A, Saito T, Toki H, PHYS REV D 75 014508 (2007)  
Infrared behavior of the Faddeev-Popov operator in Coulomb gauge QCD
298. Sugimoto S, Ikeda K, Toki H, PHYS REV C 75 014317 (2007)  
Study of the effect of the tensor correlation in oxygen isotopes with  
the charge- and parity-projected Hartree-Fock method
299. Ramos A, Magas VK, Oset E, Toki H, NUCL PHYS A804 219-230 (2008)  
The antikaon-nucleus interaction and alternative views to deeply bound antikaonic nuclear systems
300. Setsuo Tamenaga , Hiroshi Toki , Akihiro Haga, and Yoko Ogawa, Nucl Phys A811 306-328 (2008)  
Spontaneous chiral symmetry breaking in the massless linear sigma model by fermion and boson  
loop corrections
301. Myo, Takayuki, Kikuchi, Yuma, Kato, Kiyoshi, Toki, Hiroshi, Ikeda, Kiyomi, PROG THEOR PHYS  
119 561-581 (2008)  
Systematic study of Li-9,Li-10,Li-11 with the tensor and pairing correlations
- 302 Hiroshi Toki, Carmen Garc&iacute;a-Recio, Juan Nieves, Phys. Rev. D 77 034001 (2008)  
Photon induced Lambda(1520) production and the role of the K\* exchange
- 303 Nakagawa Y, Nakamura A, Saito T, Toki H, Phys. Rev. D 77 034015 (2008)  
Volume dependence of the long-range two-body potentials in various color channels  
by lattice QCD
304. Hu, J., Ogawa, Y., Toki, H., Hosaka, A., Shen, H., Phys Rev C79 024305 (2009)  
Extended relativistic chiral mean field model for nuclear matter